

REMARKS

Entry of the foregoing and reexamination and reconsideration of the subject application, as amended, pursuant to and consistent with 37 C.F.R. § 112, are respectfully requested in light of the following remarks.

Claims 10-25 remain present in this application.

In the response to the previous Office Action, Applicant provided information regarding Rhodorsil® RT Gel 8260, the comparative gel used in a comparison of the examples. Applicant noted that the specification indicates that the composition of the comparative gel was Rhodorsil® RT Gel 8260. (page 21, lines 4-5) Rhodorsil® RT Gel 8260 is a commercially available two part product which has the following composition by weight:

<u>Component</u>	<u>Part A</u>	<u>Part B</u>
POS (I) SiH	0	1.5
POS (II) SiVi	48	48.5
POS (III) mono-SiVi	0	0
POS (IV) PDMS (non-functionalized)	50	50
Catalyst	Catalytic amount	-

The gel is obtained after the two parts are mixed in a 50/50 ratio and crosslinked.

The Office Action questions how Applicant came into possession of this information and indicates that a product data sheet was not enclosed that verifies the accuracy of the description.

Applicant is a producer of Rhodorsil® RT Gel 8260. A copy of the Technical Data Sheet for this product is shown below.

Technical Data Sheet n° SIL 01 022 3 – May 2001

RHODORSIL[®] RT GEL 8260 A and B

Description

RHODORSIL RT GEL 8260 A and B is a two component, polyaddition reaction, room temperature curing silicone elastomer. Curing can be accelerated by heating.

RHODORSIL RT GEL 8260 A and B is a fluid, colourless liquid which transforms after curing into a soft elastic, transparent GEL. Curing takes place without any heat release.

Advantages

- Self adhesion to many surfaces.
- Transparency.
- Good heat stability.
- Low viscosity.
- 1/1 ratio.
- Quick setting, accelerated by heating.

Applications

- Protective potting of electronic components.
- Protection of semi-conductor junctions.
- Vibration damping systems.

Characteristics

1. Before curing

	RT GEL 8260 A	RT GEL 8260 B
Appearance	Viscous liquid	Viscous liquid
Colour	Colourless	Colourless
Viscosity at 25 °C, mPa.s, approx.	6300	5800

2. After catalysis

RHODORSIL RT GEL 8260 A100 parts

RHODORSIL RT GEL 8260 B.....100 parts

Gel time at 23 °C, approx. 65 min

→Gel time at 30 °C, approx. 30 min

Gel time at 50 °C, approx. 7 min

At room temperature (23 °C) we can consider the product to be fully cured after 24 hours.



Technical Data Sheet n° SIL 01 022 3 – May 2001

RHODORSIL[®] RT GEL 8260 A and B

3. Cured compound

Colour Transparent

Penetration for 1/10 mm, approx. 220

Adhesion to epoxide, N/mm, approx. 0.16

Dielectric properties

Dielectric strength, kV/mm, approx. 28

Processing

Remix each of the 2 components (parts A and B) every time before using.

1. Mixing the two components

To 100 parts of RHODORSIL RT GEL 8260 A add 100 parts of RHODORSIL RT GEL 8260 B.

The two components are thoroughly mixed using an electrical or pneumatic mixer, on a low speed setting so as to limit the inclusion of air in the mixture.

2. Degassing

After mixing parts A and B, it is preferable to degas the products under a 30 to 50 mbar vacuum releasing the vacuum two or three times during the operation. Considering the reactivity of the mixture, this operation should be carried out at a temperature of 20 to 23 °C.

When processing large amounts it is preferable to use a two component silicone processing machine with a static mixer.

Comment:

Certain materials that the RT GEL may be in contact with when curing could inhibit the reaction:

- Sulphur-derivative cured natural or synthetic rubber compounds.
- RTV's catalysed with metal salts.
- PVC stabilizers.
- Epoxy resin catalysed with amines.

If in doubt, it is recommended to carry out a preliminary test.

Packaging

RHODORSIL RT GEL 8260 A and B are delivered in 25 kg drums. Other packaging is available on request.

Storage and shelf life

When stored in its original unopened packaging at a temperature of between - 5 °C and + 30 °C, RHODORSIL RT GEL 8260 A and B must be used within 12 months of its date of manufacture clearly marked on the packaging.

Beyond this date, Bluestar Silicones no longer guarantees that the conformity of the product with the sales specifications.

Safety





Consult the safety Data Sheets of the RHODORSIL RT GEL 8260 A and B.



Technical Data Sheet n° SIL 01 022 3 – May 2001

RHODORSIL® RT GEL 8260 A and B

Visit our website www.bluestarsilicones.com

 EUROPE Bluestar Silicones France 21 Avenue Georges Pompidou F69486 Lyon Cedex 03 FRANCE Tel. (33) 4 72 13 19 00 Fax (33) 4 72 13 19 88	 NORTH AMERICA Bluestar Silicones USA 2 Tower Center Boulevard Suite 1601 East Brunswick, NJ 08816-1100 United States Tel. (1) 732 227-2060 Fax. (1) 732 249-7000	 LATIN AMERICA Bluestar Silicones Brazil Ltda. Av. Maria Coelho Aguilar, 215 Bloco G – 1º andar 05804-902 São Paulo – SP- Brazil Tel. (55) 11 37477887	 ASIA PACIFIC Bluestar Silicones Hong Kong Trading Co. Ltd 29th Floor, 88 Hing Fat Street Causeway Bay Hong Kong Tel. (852) 3106 8200 Fax (852) 2979 0241
---	--	--	--

Warning to the users

The information contained in this document is given in good faith based on our current knowledge. It is only an indication and is in no way binding, particularly as regards infringement of or prejudice to third party rights through the use of our products. BLUESTAR SILICONES guarantees that its products comply with its sales specifications. This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for given use. Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorisations. Users are requested to check that they are in possession of the latest version of this document and BLUESTAR SILICONES is at their disposal to supply any additional information.




Applicant believes that the submission of this information, as requested in the Office Action, is sufficient support to show the Applicant was aware of the nature of the composition of Rhodorsil® RT Gel 8260, a commercially available product. In the event that the Examiner believes that this is not sufficient to show this, or the Examiner requires additional information, it is requested that the Examiner contact the Applicant's representative at the number below.

In view of the foregoing, it is believed that entry of the proposed amendments should be allowed and that the record rejections cannot be maintained against the proposed claims once entered into this application. Further, favorable action in the form of a Notice of Allowance is believed to be next in order and is earnestly solicited.

Respectfully submitted,

BUCHANAN INGERSOLL & ROONEY PC

Date: April 1, 2011

By: 
Gary D. Mangels, Ph.D.
Registration No. 55424

Customer No. 21839
703 836 6620